

Studio Finishes™

Latex Texture – Sand

Interior Use

386

A ready-mixed, latex based, sand texture finish for interior use on primed or previously painted wallboard, plaster, metal and wood, new or previously painted concrete or block construction.




Performance Features

- Offers the opportunity to create an infinite variety of designs, or Decorative personalized effects on interior walls and ceilings.
- On older patched surfaces, it offers the added benefit of hiding small cracks and minor imperfections.

Colors: White.

Toxicity: Formulated without lead, mercury or chromates.

Gloss Level: Flat.



Performance Guide:

Water Resistance

Washable. Allow 7 days after application for firm to cure.

Heat Resistance

Up to 60° C.

Abrasion Resistance

Resists marring, less so in darker colors.

Solvent Resistance

Good resistance to white spirits. Sensitive to aromatic hydrocarbons and alcohols.



VOC (Volatile Organic Compounds): 311 GLITTER EFFECT: belongs to the category A/I WB (Decorative effect coatings). EU Limit: 200g/l (2010).

| | | | |
|---|------------------------------------|--|---|
| Spreading Rate 8 - 9 m ² /L | Volume Solids 40% | Wet Film Thickness 100 micrometres | Dry Film Thickness 44 micrometres |
| Dry Time at 20°C 1 hour to touch 4 hours to recoat | Flexibility 6 mm mandrel | Thinning Not applicable | For Application By Brush, Roller |

Surface Preparation

The surface must be clean, dry and free of wax, grease, scaling paint and mildew. Glossy surfaces must be dulled by sanding. Large cracks or imperfections must be repaired with appropriate patching compounds, allow to dry, sanded and cleaned. Not recommended over wallpaper.

Application

Apply one or two coats. For best results, use a blended nylon/polyester brush or roller. Prior to use, dampen roller with water. Coat approximately a 1m² section leaving a wet edge into which the next section can be blended. Texturing can be accomplished by stippling with brush, stipple roller, sponge or similar tools. Do not apply when air or surface temperature is below 10°C. .
Do not inter-mix alkyd-based products with Studio Finishes® Latex Texture-Sand finish.

Clean Up: Clean brushes and equipment in warm, soapy water immediately after use.

Precautions - Health and Safety:

- Skin contact: Wash skin thoroughly with soap and water.
- Eye contact: Treat immediately with water.
- Get medical attention.
- If swallowed: Get medical attention without delay.
- For further information, see the Health and Safety Data Sheet for this product.
- Keep out of reach of children.
- Protect from freezing.

Packaging and Storage

Sizes : 1 litre, 2,5 litre

Flash Point: none

Storage: not hazardous, no special requirements

